



Evergreen™

CERTIFICATE OF ANALYSIS

| | | | |
|---------------|-------------------------------|----------------------|------------|
| PRODUCT : | 黄耆 Huang Qi ; Astragali Radix | Manufacturing date : | 2007/05/07 |
| Item No. : | G1396 | EXPIRY DATE : | 2011/05/06 |
| BATCH No. : | FA1202701 | Date of analysis : | 2007/05/29 |
| DOSAGE FORM : | Granules | | |

| DETERMINATION | SPECIFICATIONS | RESULT | TEST METHOD |
|--|----------------|-------------|---------------------|
| Description | Yellow Brown | Conform | Q03-GP52 |
| Loss On Drying | ≤ 12.00 % | 4.93 % | Ph.PRC 2005 |
| Total Ash | ≤ 7.00 % | 4.04 % | Ph.PRC 2005 |
| Acid-Insoluble Ash | ≤ 2.00 % | 0.82 % | Ph.PRC 2005 |
| Dil. EtOH Extract | ≥ 38.00 % | 50.14 % | Ph.PRC 2005 |
| H ₂ O Extract | ≥ 42.00 % | 55.66 % | Ph.PRC 2005 |
| Total Heavy Metal | ≤ 50 ppm | Pass | Ph.PRC 2005 |
| Heavy Metal Limit Test | | | ICP-OES ,QL (mg/kg) |
| Arsenic (As) | ≤ 2 mg/kg | 0.20 mg/kg | 0.16 |
| Cadmium (Cd) | ≤ 0.5 mg/kg | 0.03 mg/kg | 0.03 |
| Lead (Pb) | ≤ 10 mg/kg | 0.31 mg/kg | 0.16 |
| Mercury (Hg) | ≤ 0.1 mg/kg | <0.03 mg/kg | 0.03 |
| Microbial Limit Test | | | Ph.Eur 5. |
| Total Aerobic Microbial Count | ≤ 10000 CFU/g | <10CFU/g | Ph.Eur 2.6.12 |
| Total Yeast and Mold | ≤ 100 CFU/g | <10CFU/g | Ph.Eur 2.6.12 |
| Enterobacteria & other gram neg. bact. | ≤ 100 CFU/g | <10MPN/g | Ph.Eur 2.6.13 |
| E. coli | Absent in 1g | Negative | Ph.Eur 2.6.13 |
| Salmonella | Absent in 10g | Negative | Ph.Eur 2.6.13 |
| Staphylococcus aureus | Absent in 1g | Negative | Ph.PRC 2005 |
| TLC Identification | | | Q08-FA1202 |
| 黄耆 Astragali Radix | | Positive | |
| Pesticides Limit Test | | | Ph.Eur 5. |
| Organochlorine pesticides | | ND | GC/MS |
| Organophosphorous pesticides | | ND | GC/MS |
| Aflatoxin Limit Test | | | HPLC, DL(ppb) |
| Aflatoxin B1 | ≤ 2.0ppb | ND | 0.10 |
| Aflatoxin (B1+B2+G1+G2) | ≤ 4.0ppb | ND | 0.26 |

Doc. No.:Q08-FA1202-L00 ; Version No.:02

I hereby certify that the above information is authentic and accurate. This batch of product has been manufactured, including packaging and quality control at the above mentioned site in full compliance with the GMP requirements of the local regulatory Authority and with the specifications in the Marketing Authorisation of the importing country. The batch processing, packaging and analysis records were reviewed and found to be in compliance with GMP.

Ligang Plant

Shu-Tuan Chiang 2007.8/8

Shu-Tuan Chiang

Manager of Q.A. Dept.

Evergreen Herbs and Medical Supplies, LLC
17431 East Gale Ave. City of Industry, CA 91748
Website: www.evherb.com

Tel: (626) 810-5530; Fax: (626) 810-5534

Reproduced with kind permission of Evergreen Herbs and Medical Supplies, LLC